

T:---



310 Baker Ave, suite 175 D Concord, MA 01742 Ph: (978)287-3835 \* Fax: (978) 287-2979

## **ENDOSCOPY INSTRUCTIONS**

Date1me	
Please arrive at the Endo Center at 310 Baker Ave, suite 175A at	
<b>Diet:</b> <u>Nothing</u> to eat after midnight and nothing to drink 4 hours before your procedure. No tobacco or chewing gum after midnight the night before your procedure.	
You must have someone (18 or older) drive you home and stay with you for up to 12 hours after the procedure, a you will be drowsy, and you will have some degree of recent memory loss for several hours after the procedure. I adequate arrangements have not been made your procedure will be cancelled. Expect to be at the hospital for 2-hours. Plan on light activity after the procedure. You may return to full activity on the day after the procedure.	f
<b>Important:</b> The single most important thing you can do to prepare for your procedure is to read and follow all of these instructions exactly. If you come in properly prepared, you will not risk the inconvenience of having to come back and repeat the test due to poor preparation.	
If you take any type of anticoagulant or anti-platelet (blood thinning) medication: please call your prescribing physician for instructions on how to take the medication prior to the procedure: i.e Coumadin, Aggrenox, Efficiently, Pradaxa, Lovenox, Xarelto, Ticlid.	nt,
<b>CONTINUE TO TAKE:</b> All maintenance medications- heart and blood pressure, anti-anxiety and seizure, allergy,	

## \*DO NOT STOP TAKING ASPIRIN\*

**Medication Restrictions 7 days prior to the procedure:** 

## DO NOT TAKE:

asthma and cholesterol medications.

Generic:	Brand:	Also avoid:
Ibuprofen	Advil, Motrin	Fish oil
Naproxen	Aleve, Anaprox	Ferrous Sulfate (Iron)
Diclofenac	Arthrotec, Valtaren	Iodine
Meloxicam	Mobic	Alka-Seltzer
Piroxicam	Feldene	
Indomethacin	Indocin	3 WEEKS PRIOR:
Oxaprozin	Daypro	STOP QSYMIA
Etodolac	Lodine	
Nabumetone	Relafen	

Questions or problems please call us at 978-287-3835.